



User-oriented Satellite Application Platforms ----SWAP & SMART



Xiang Fang
National Satellite Meteorological Center ,CMA
4th Asia-Oceania Meteorological Satellite Users Conference
Oct 9-11, 2013, Melbourn, Australia




Outline


1. Background
2. Satellite Weather Application Platform (SWAP)
3. Satellite Monitoring Analysis Remote-sensing Toolkit (SMART)
4. Summery

The Observation and Data service Of FY Satellites

- Global observation---FY-3 series
- High frequency and Specific regional rapid scan mode- ---FY-2 series
- Real-time data dissemination via CMACast ,Website



How to promote the application of FY satellite data



Domestic training activities have been organized and SWAP & SMART have been applied in operation all around China.

Satellite Weather Application Platform(SWAP)

Users: Weather Forecasters

Purpose : A highly efficient tool for cloud image displaying and analyzing

Special Features:

- Powerful ability of data processing
- Flexible software architecture
- Specialized analysis tools for TC and convective system

Performance Analysis of SWAP

Test environment: PC, 4cores 2.6GHz, 8G memory;

Function Operation	Response time (unit: second)	Increased memory occupation (unit: MB)
Open a single standard projection image	0.036	10.03
Open 12 pieces of image animation	0.086	34.42
Geographic projection conversion from standard projection	0.056	16.31
Enhancement display of single image	0.008	0.53
Switch channels of 12 times images	0.068	16.22
Convective cloud detection and track of 12 times animation	0.266	28.63

Functions of SWAP




- Automatic data collection and processing
- Display and Animation of satellite data
- 3D visualization analysis
- monitoring and analysis of tropical cyclone and convective system

Automatic data collection and processing

Data collection and pre-processing


- Download satellite data automatically
- Delete overdue data automatically
- Customize data source(FTP, automatic copy of local data)
- Output Real-time log about data downloading




Display Function

- Overlapping display of multi-source data
- Automatically time matching of the different data.
- Multi-screen linkage analysis
- RGB composite tools

Data classification	Name
Satellite data and product	FY-2C/D/E/F (AMV/CLC/TBB/OLR/PRE) MTSAT
	FY-3A/B/C
Observation Data	Ground-based observation and Sounding Data Radar Data
NWP	T639, Grapes, NCEP, ECWMF




Overlapping cloud image with other data




Animation Function

- Dynamically load to support a large amount of data animation
- Customizing animation of specific region
- Overlapping animation of multi-source data






Animation demo of satellite data



3D Visualization



- Adaptive cloud detection
- 3D display of cloud image
- 3D animation of Microwave data





Monitoring and Analysis of TC & Convective System

- Center location and intensity estimation
- Route analysis and motion extrapolation
- Convective cloud detection and tracing
- Convective cloud parameters extraction
- Precipitation Analysis

Monitoring and analysis of tropical cyclone




Tropical Cyclone Kai-tak (201213)





Using FY-2F data, 6 min interval


Monitoring and analysis of tropical cyclone




Monitoring and analysis of tropical cyclone




Monitoring and analysis of convective system



Monitoring and analysis of convective system



Monitoring and analysis of convective system



Satellite Monitoring Analysis Remote-sensing Toolkit (SMART)

Users: Operators and researchers of disaster and environment monitoring

Purpose: Comprehensive application platform of FY-3 and other polar orbit meteorological satellite data

Special Features:


- Standard operation flow
- Professional monitoring models
- Powerful image processing tools

The operational flow of SMART



Multi-source data display

- ◆ Support for Multi-satellite, Multi-Sensor, Multi-Format data




RS Data Processing Tools

- radiometric correction
- geometric correction
- projection and coordinate system conversion
- Resize and cut
- mosaic and clipping

.....

Mosaic



Clipping






Image Processing Tools

- image enhancement
- image filter
- image classification
- Image fusion
-



Monitoring & Analysis Thematic Products




- Dust
- Fog
- Fire
- Water
- Snow
- Sea ice

- Cyanophyta
- Vegetation
- Drought
- Land surface temperature
- Urban Heat Island
- Extension of new production

Monitoring analysis content:

- Time
- Location
- Area
- Degree
- Frequency
- Changes
-

Customized Development



4th Asia-Oceania Meteorological Satellite Users Conference

◆ Primary user

Customizing interface and operational process Through XML setting.

◆ Intermediate user

Designing operational process by basic function library .

◆ Advanced User





Developing specific application system by complete SDK (Software Development Kit) .



National Satellite Meteorological Center ,CMA

Application Examples

Fog monitoring



Fog RS Image


Liquid Water Path Map

Fog Droplet Scale Map

Fog Optical Depth Map

Application Examples


Dust monitoring




Application Examples

Fire monitoring

Fire RS IMAGE




Fire Intensity Thematic Map




火情省市县面积统计				
统计日期: 2013/5/16	省/直辖市	市/区	县	覆盖面积(平方公里)
	内蒙古自治区			113.41
		锡林郭勒盟		113.41
		东乌珠穆沁旗		113.41
				113.41

Fire Area Statistics


火情按分级行政区划面积统计



火情按分级行政区划面积统计




火情按土地利用类型面积统计




Application Examples

Water body monitoring

Water Body RS Image




Water Monitoring Thematic Map



International Geological Satellite Users Conference

水情省市县面积统计				
省/直辖市	市/区	县	覆盖面积(平方公里)	累计面积(平方公里)
湖南省			661.8	661.8
岳阳市			415.24	415.24
	市辖区		120.44	120.44
	岳阳县		149.77	149.77
	华容县		1.83	1.83
	湘阴县		116.17	116.17
	汨罗市		27.03	27.03
常德市			59.61	59.61
	汉寿县		59.61	59.61
益阳地区			186.96	186.96
	沅江市		176.59	176.59
	益阳县		9.62	9.62
	南县		0.75	0.75


Flood Area Statistics
水情按土地利用类型面积统计




National Satellite Meteorological Center ,CMA

Application Examples


Vegetation & Drought monitoring



Land Surface Temperature Map




Vegetation Index Map



Drought Index Map


Application Examples

Volcanic ash in Iceland




Application Examples

Dust Storm in Australia




Application Examples

Fire in Indonesia



图例

- 国境线
- 火点



Application Examples

Flood in India

FY-3A/MERSI 印度北部洪涝监测专




图 国境线

例 强降水地表影响区
Waterlogging water 泛滥河流 Flood water

卫星/仪器: FY-3A/MERSI

空间分辨率: 0.0025




NSMC

制作单位: 中

FY-3A/MERSI 印度北部水体监测3D图

2013年06月20日 13:30 (北京时)




中国气象局
国家卫星气

Summary

SWAP and SMART

- Powerful capability of data processing
- Support multi-source Data
- Capability of customized development
 - Flexible software architecture
 - Component-based Develop Building block Deployment
 - Providing APIs and Standard Programming Environment
- Collect data via CMACast ,Website
- The English version is now designed and provided soon



Thank you for your kindly attention!

